

# SAFETY DATA SHEET

## Swanline ALKALINE

The safety data sheet is in accordance with Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

### SECTION 1: Identification of the substance / mixture and of the company / undertaking

Date issued 01.11.2022

#### 1.1. Product identifier

Product name	Swanline ALKALINE
Article no.	2011006
Product definition	Pre-detergent (car rim)
Information on the packaging	Type of packaging: Jug Size of packaging: 20 L Material of packaging: Plastic: HDPE  Type of packaging: Bag / sack Size of packaging: 10 L Material of packaging: Plastic: LDPE  Type of packaging: Drum Size of packaging: 200 L Material of packaging: Plastic: HDPE

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Function	Description: Vehicle detergent
Professional use	Yes

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

Company name	Tammermatic Oy
Postal address	Vaaksakuja 1
Postcode	33960
City	Pirkkala
Country	Suomi
Telephone number	020 1373 400
Email	service@tammermatic.com

Website [www.tammermatic.com](http://www.tammermatic.com)

## 1.4. Emergency telephone number

Emergency telephone Telephone number: Phone: 09-4711 , 09-471977 (direct)  
Description: Kuvaus: Myrkytystietokeskus, Tukholmankatu 17, PL 790, 00029  
HUS (Helsinki),  
(24 h)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP / GHS] Skin Irrit. 2; H315  
Eye Dam. 1; H318

### 2.2. Label elements

#### Hazard pictograms (CLP)



Signal word

Warning

Hazard statements

H315 Causes skin irritation. H318 Causes serious eye damage.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand. P280 Wear protective gloves / protective clothing / eye protection / face protection. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice / attention.

### 2.3. Other hazards

## SECTION 3: Composition / information on ingredients

### 3.2. Mixtures

Composition type Mixture

Substance	Identification	Classification	Contents	Notes
Caustic potash	CAS No.: 1310-58-3 EC No.: 215-181-3 Index No.: 019-002-00-8	Acute Tox. 4; H302 Skin Corr. 1A; H314	< 1 %	
Glutamiinihappo, N, N-dietikkahappo, tetranatriumsuola, 47%:n vesiliuos	REACH Reg. No.: 01-2119493601-38-0000	Met. Corr. 1; H290	< 4 %	
D-Glucopyranose, oligomeric,heptyl glycoside	CAS No.: 1627851-18-6 EC No.: 807-654-3 REACH Reg. No.: 01-2120088889-28-XXXX	Eye Dam. 1	< 3 %	

Oxirane, 2-methyl -, polymer with oxirane, mono(2-propylheptyl) ether	CAS No.: 166736-08-9	Eye Dam. 1; H318 Acute Tox. 1; H302	< 2 %
fatty alcohol ethoxylated	CAS No.: 69011-36-5	Eye Dam. 1; H318 Acute Tox. 4; H302	< 2 %
Diethylene glycol monobutyl ether	CAS No.: 112-34-5 EC No.: 203-961-6 Index No.: 603-096-00-8	Eye Irrit. 2; H319	< 5 %

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

General	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
Ingestion	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get medical advice/attention.
Recommended personal protective equipment for first aid responders	In case of inadequate ventilation wear respiratory protection.

### 4.2. Most important symptoms and effects, both acute and delayed

### 4.3. Indication of any immediate medical attention and special treatment needed

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	Fight fire with normal precautions from a reasonable distance.
Improper extinguishing media	Not known

### 5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards	Not known
----------------------------	-----------

### 5.3. Advice for firefighters

Personal protective equipment	In case of inadequate ventilation wear respiratory protection.
Fire fighting procedures	Fight fire with normal precautions from a reasonable distance.

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures	Collect spillage. Absorb spillage to prevent material damage. Avoid release to the environment.
Personal protection measures	In case of inadequate ventilation wear respiratory protection.
For emergency responders	In case of inadequate ventilation wear respiratory protection.

## 6.2. Environmental precautions

Environmental precautionary measures	Collect spillage. Avoid release to the environment.
--------------------------------------	---

## 6.3. Methods and material for containment and cleaning up

Containment	Collect spillage. Absorb spillage to prevent material damage. Avoid release to the environment.
Clean up	Collect spillage. Absorb spillage to prevent material damage.

## 6.4. Reference to other sections

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling	Store in the original package
----------	-------------------------------

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage	Keep only in original container. Keep container tightly closed.
---------	---

#### 7.3. Specific end use(s)

### SECTION 8: Exposure controls / personal protection

#### 8.1. Control parameters

Substance	Identification	Exposure limits	TWA Year
Caustic potash	CAS No.: 1310-58-3	<b>Limit value (short term)</b> Value: 2 mg/m <sup>3</sup> <b>Peak limitation value</b> Peak limitation value: 2 mg/m <sup>3</sup>	
Glutamiinihappo, N, N-dietikkahappo, tetranatriumsuola, 47%:n vesiliuos			
D-Glucopyranose, oligomeric, heptyl glycoside	CAS No.: 1627851-18-6		
Oxirane, 2-methyl -, polymer with oxirane, mono(2-propylheptyl) ether	CAS No.: 166736-08-9		
fatty alcohol ethoxylated	CAS No.: 69011-36-5		
Diethylene glycol monobutyl	CAS No.: 112-34-5	Limit value (8 h) : 10 ppm	

ether	Limit value (8 h) : 67,5 mg/ m <sup>3</sup> <b>Limit value (short term)</b> Value: 15 ppm <b>Limit value (short term)</b> Value: 101,2 mg/m <sup>3</sup>
-------	---

## 8.2. Exposure controls

### Safety signs



### Skin protection

Protective clothing necessary properties

Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

### Respiratory protection

Respiratory protection necessary at

In case of inadequate ventilation wear respiratory protection.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Form	Liquid
Colour	Clear liquid
Colour intensity	Light.
Odour	Mild.
pH	Status: In delivery state Value: 13 -15
Boiling point / boiling range	Value: 100 °C
Flash point	Reason for waiving data: No data.
Solubility	Medium: Water
Auto-ignition temperature	Reason for waiving data: No data.

### 9.2. Other information

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

### 10.2. Chemical stability

### 10.3. Possibility of hazardous reactions

## 10.4. Conditions to avoid

## 10.5. Incompatible materials

Materials to avoid

Keep / Store away from clothing / Vahvat hapot / combustible materials.

## 10.6. Hazardous decomposition products

# SECTION 11: Toxicological information

## 11.1. Oplysninger om fareklasser som defineret i forordning (EF) nr. 1272/2008

Acute toxicity

Effect tested: LD50  
Route of exposure: Oral  
Value: 6560 mg/kg  
Species: Rat  
Comments: 2-(2-Butoksietoksi)etanoli

Effect tested: LD50  
Route of exposure: Dermal  
Value: 4120 mg/kg  
Species: Rabbit  
Comments: 2-(2-Butoksietoksi)etanoli

Effect tested: LD50  
Route of exposure: Oral  
Value: 365 mg/kg  
Species: Rat  
Comments: Potassium hydroxide

## 11.2 Other information

# SECTION 12: Ecological information

## 12.1. Toxicity

## 12.2. Persistence and degradability

## 12.3. Bioaccumulative potential

## 12.4. Mobility in soil

## 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB  
assessment

Not known

## 12.6. Endocrine disrupting properties

## 12.7. Other adverse effects

# SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Appropriate methods of disposal for the chemical	Dispose of contents/container to according to the instructions of the local authorities
Appropriate methods of disposal for the contaminated packaging	Dispose of contents/container to according to the instructions of the local authorities

## SECTION 14: Transport information

Dangerous goods	No
-----------------	----

### 14.1. UN number

### 14.2. UN proper shipping name

### 14.3. Transport hazard class(es)

### 14.4. Packing group

### 14.5. Environmental hazards

### 14.6. Special precautions for user

### 14.7. Maritime transport in bulk according to IMO instruments

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

### 15.2. Chemical safety assessment

## SECTION 16: Other information

List of relevant H-phrases (Section 2 and 3)	H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation.
Version	2
Expired date	31.12.2023